

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET	Frequency Band VHF(V), UHF(U), HF(HF)	Description Hillsborough County, FL
---	--	--

Pg No	Channel Configuration	Channel Name/ Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	REPEATER	VCNC 1	ARES / RACES	147.1050	W	146.2	147.7050	W	146.2	A	N4TP- VHF- CHECK-IN -Accountability
1	REPEATER	UCNC 1	ARES / RACES	444.4250	N	100.0	449.4250	N	100.0	M	NI4CE UHF - Primary CNC
1	REPEATER	VCNC 2	ARES / RACES	146.9400	W	146.2	146.3400	W	146.2	M	NI4M- VHF- Secondary CNC (P25)
1	REPEATER	UCNC 2	ARES / RACES	440.1000	W	162.2	445.1000	W	162.2	M	N1CDO- VHF-Tampa EOC PRIMARY (P25)
1	REPEATER	UCNC 3	ARES / RACES	443.5250	W	146.2	448.5250	W	146.2	A	W9CR- UHF- NEQ PRIMARY
1	REPEATER	UCNC 4	ARES / RACES	443.0250	W	146.2	448.0250	W	146.2	A	N4TP- UHF- NEQ SECONDARY
1	REPEATER	UCNC 5	ARES / RACES	442.2500	W	146.2	447.2500	W	146.2	A	W4RNT- UHF- NWQ PRIMARY
1	REPEATER	UCNC 6	ARES / RACES	442.7500	W	146.2	447.7500	W	146.2	A	W4RNT- UHF- NWQ SECONDARY
1	REPEATER	UCNC 7	ARES / RACES	442.4500	W	162.2	447.4500	W	162.2	M	W4KPR- UHF- SQ PRIMARY (P25)
1	REPEATER	VCNC 3	ARES / RACES	145.4500	W	162.2	144.8500	W	162.2	M	W4KPR- VHF- SQ SECONDARY (P25)
1	REPEATER	VTAC 1	ARES / RACES	147.1650	W	136.5	147.7650	W	136.5	A	K4TN- VHF- BARC- S&E Coverage
1	REPEATER	UTAC 1	ARES / RACES	443.2500	W	146.2	448.2500	W	146.2	A	KE4ZIP- UHF- SCC & South Coverage
1	REPEATER	VTAC 2	ARES / RACES	147.2250	W	146.2	147.8250	W	146.2	A	KE4ZIP- VHF- SCC & South Coverage
1	REPEATER	VTAC 3	ARES / RACES	147.2625	W	0	147.3225	W	0	D	W1SCC - VHF- DSTAR
1	REPEATER	UTAC 2	ARES / RACES	442.2250	W	0	447.2250	W	0	D	W1SCC - UHF- DSTAR
1	REPEATER	UTAC 3	ARES / RACES	444.8125	W	0	449.8125	W	0	D	W4RNT - UHF- DSTAR
1	SIMPLEX	VTAC 4	ARES / RACES	146.45	W	0	146.4500	W	0	A	BEARS- Baycare Hospitals
1	SIMPLEX	VTAC 5	ARES / RACES	146.4300	W	0	146.4300	W	0	A	ARES/RACES TAC 1
1	SIMPLEX	VTAC 6	ARES / RACES	146.4750	W	0	146.4750	W	0	A	ARES/RACES TAC 2
1	REPEATER	UTAC 4	ARES / RACES	927.0125	W	162.2	902.0125	W	162.2	A	W4KPR -900 - 900 MHz Backup
1	REPEATER	UTAC 5	ARES / RACES	442.5000	W	146.2	447.5000	W	146.2	D / A	WD1SCC - DMR (Can switch to Analog)

Convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or “M” indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band
VHF(V), UHF(U), HF(HF)

Description
Hillsborough County, FL

Pg No	Channel Configuration	Channel Name/ Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
2	HF	HFTAC 1	ARES / RACES	3940 KHz LSB	W	0	3940 KHz LSB	W	0	A	WCFAN West Central FL HF
2	HF	HFTAC 2	ARES / RACES	3950 KHz LSB	W	0	3950 KHz LSB	W	0	A	NFARN FL Warning/NTS-SEOC
2	HF	HFTAC 3	ARES / RACES	3940 KHz LSB	W	0	3940 KHz LSB	W	0	A	SFARN NTS traffic - S FL
2	REPEATER	UTAC 6	ARES / RACES	442.5500	W	100	447.5500	W	100	M	NI4CE*- Riverview (UHF) (NXDN)
2	REPEATER	UTAC 7	ARES / RACES	442.8250	W	100	447.8250	W	100	M	NI4CE*- Bartow (UHF) (NXDN)
2	REPEATER	UTAC 8	ARES / RACES	442.9500	W	100	447.9500	W	100	M	NI4CE*- Verna (UHF) (NXDN)
2	REPEATER	VTAC 7	ARES / RACES	145.4300	W	100	144.8300	W	100	M	NI4CE*- Verna (VHF) (NXDN)
2	REPEATER	UTAC 9	ARES / RACES	443.9500	W	100	448.9500	W	100	M	NI4CE*- Lake Placid (UHF) (NXDN)
2	REPEATER	UTAC 10	ARES / RACES	443.4500	W	100	448.4500	W	100	M	NI4CE*- Holiday (UHF) (NXDN)
2	REPEATER	VTAC 8	ARES / RACES	147.2400	W	146.2	147.8400	W	146.2	A	KK4AFB - USF Tampa Area (VHF)
2	REPEATER	UTAC 11	ARES / RACES	443.0000	W	146.2	448.0000	W	146.2	A	KK4AFB - USF Tampa Area (UHF)
2	REPEATER	VTAC 9	ARES / RACES	146.7900	W	146.2	147.3900	W	146.2	A	W4BCI -FAIRGROUNDS AREA (VHF)
2	REPEATER	UTAC 12	ARES / RACES	444.2250	W	146.2	449.2250	W	146.2	D	W4BCI - County-wide(UHF)
2	SIMPLEX	VTAC 10	ARES / RACES	146.5200	W	0	146.5200	W	0	A	2 M CALL - National Call Freq - (VHF)
2	SIMPLEX	UTAC 13	ARES / RACES	446.0000	W	0	446.0000	W	0	A	440 CALL - National Call Freq- (UHF)
2	SIMPLEX	HFTAC 4	ARES / RACES	52.5250	W	0	52.5250	W	0	A	6 M CALL - National Call Freq - (6M)

Convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown - as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed. * NI4CE Linked Repeater System- Mixed Mode – Analog/NXDN RAN Code 1, Skywarn, NET NTS Traffic Net. ** SARNET - Statewide repeater system - Monitored by SEOC.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band
VHF(V), UHF(U), HF(HF)

Description
Hillsborough County, FL

Pg No	Channel Configuration	Channel Name/ Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
3	WINLINK	VWINL 1	ARES / RACES	145.0500	W	0	145.0500	W	0	D	N4HCA-10-Packet--Winlink
3	WINLINK	UWINL 1	ARES / RACES	438.0500	W	0	438.0500	W	0	D	N4HCA-11-Packet VARA FM & Winlink
3	WINLINK	HFWINL 1	ARES / RACES	10-40 M Bands							N4HCA RMS per Winlink Directory
3	WINLINK	VWINL 2	ARES / RACES	145.0100	W	0	145.0100	W	0	D	W4ACS-10- Pinellas Co-packet digital
3	WINLINK	VWINL 3	ARES / RACES	144.9900	W	0	144.9900	W	0	D	WI4VAM-10- TAMPALAN-Packet & Vara
3	WINLINK	UWINL 2	ARES / RACES	440.9750	W	0	440.9750	W	0	D	WI4VAM-11- VARA FM Winlink
3	WINLINK	VWINL 4	ARES / RACES	145.0700	W	0	145.0700	W	0	D	KJ4RUS-10-VARA FM Winlink
3	APRS	VAPRS 1	ARES / RACES	144.3900	W	0	144.3900	W	0	D	Location Tracking w lo speed texting
3	REPEATER	USAR 1	ARES / RACES	442.2750	W	82.5	447.2750	W	82.5	A	SARNET**- Lakeland (UHF)
3	REPEATER	USAR 2	ARES / RACES	442.2500	W	146.2	447.2500	W	146.2	A	SARNET**- Skyway Bridge
3	REPEATER	USAR 3	ARES / RACES	442.8500	W	146.2	447.8500	W	146.2	A	SARNET**- Tampa
3	REPEATER	VTAC 12	ARES / RACES	224.2800	W	NAC	222.6800	W	NAC	A	W9CR - 220 Mhz
3	REPEATER	UTAC 14	ARES / RACES	927.0500	W	NAC 293	902.0500	W	NAC 293	M	W9CR -Multimode - FM, P25
3	REPEATER	UTAC 15	ARES / RACES	927.1000	W	NAC	902.1000	W	NAC	M	WA6KDW - Multimode - FM, P25
3	REPEATER	UTAC 16	ARES / RACES	927.2000	W	NAC 293	902.2000	W	NAC 293	M	WA6KDW - Multimode - FM, P25
3	REPEATER	UTAC 17	ARES / RACES	927.6000	W	NAC	902.6000	W	NAC	M	WA6KDW - Multimode - FM, P25

Convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band
VHF(V), UHF(U), HF(HF)

Description
Hillsborough County, FL

Pg No	Channel Configuration	Channel Name/ Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
4	SIMPLEX	VPWS 1	ARES / RACES	147.5400	W	0	147.5400	W	0	A	PWSMP1 -Public Works Primary(VHF)
4	SIMPLEX	VPWS 2	ARES / RACES	146.5500	W	0	146.5500	W	0	A	PWSMP2 -Public Works Primary 2 (VHF)
4	SIMPLEX	VPWS 3	ARES / RACES	147.5850	W	0	147.5850	W	0	A	PWSMP3- Public Works Secondary (VHF)
4	SIMPLEX	VPWS 4	ARES / RACES	146.5650	W	0	146.5650	W	0	A	PWSMP4 -Public Works Tertiary (VHF)
4	SIMPLEX	UPWS 1	ARES / RACES	446.0750	W	0	446.0750	W	0	A	PWUHF -Public Works (UHF)
4	REPEATER	UHCSO 1	STARC	444.9000	W	141.3	449.9000	W	141.3	A	W4SHO - SHERIFF ARS
4	REPEATER	HFHCSO 1	STARC	51.6400	W	0	51.5400	W	0	A	W4HSO - 6 m
4	REPEATER	(V) CERT 1	CERT MEMEBRS	145.4500	W	0	144.8500	W	0	A	SCCCERT-CERT PRIMARY RPR
4	SIMPLEX	(V) CERT 2	CERT MEMEBRS	146.5800	W	0	146.5800	W	0	A	CERT1(S) NEQ CERT PRIMARY
4	SIMPLEX	(V) CERT 3	CERT MEMEBRS	146.4450	W	0	146.4450	W	0	A	CERT2(S)NWQ CERT PRIMARY
4	SIMPLEX	(V) CERT 4	CERT MEMEBRS	146.4600	W	0	146.4600	W	0	A	CERT3(S)SQ CERT PRIMARY

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.